




Technical reference sheet : EFOY Pro drawings and accessories

EFOY Pro 900 / 1800 / 2800 fuel cell




EFOY Pro 800 / 2400 Duo fuel cell







EFOY Pro 12000 Duo fuel cell




Operation Panel OP2



Operating panel OP3



EFOY Bluetooth Adapter BT2



Exhaust Hose

Inside diameter:	6 mm (0.24 in)
Outside diameter:	10 mm (0.39 in)
Length:	1.5 m (59.05 in)

Charge Line CL4

Connecting line to fuel cell	1 m (39.37 in)
Battery Fuse – Sense (2 A) BF1	0.5 m (19.68 in)
Battery Fuse – Power (15 A) BF2	0.5 m (19.68 in)
Extension sense line	8 m (26.25 ft)
Extension power line	8 m (26.25 ft)






Charge Line CL5

Connecting line to fuel cell	3 m (9,84 ft)
Battery Fuse – Sense (2 A)	
Battery Fuse – Power (20 A)	


Off Heat Set

Off Heat Hose diameter 100 mm (3.94 in)


Off Heat Hose length (app.) 750 mm (29.53 in)




Off-heat bow EFOY Pro 900/1800/2800




Mounting Plate EFOY Pro 800 / 2400




Fuel Cartridge Holder



Fuel Cartridge Holder




A technical line drawing of a 10-pin D-sub connector. The connector is shown from a perspective view, highlighting its D-shaped profile. A cable with a braided shield is connected to the rear of the connector. The drawing shows the internal pin arrangement and the mounting tabs on the connector housing.




Data Line DL1

Data line 5 m (16.40 ft)


Cluster Controller CC1




Fuel Cartridge Sensor FS1 / FS2




FS1 / FS2 mounting instructions




DuoCartSwitch




Fuel Manager FM2




Fuel Manager FM4




Fuel Manager FM8










Fuel Cartridge M10



Fuel Cartridge M28



M28 Adapter (dimensions in mm)



SFC Energy AG
Eugen-Saenger-Ring 7
85649 Brunnthal, Germany

Hotline: +49 89 673 592 - 555

Fax: +49 89 673 592 369

service@sfc.com

www.efoy-pro.com